


Cutting with the CutWork Tool

Part 1: Cut out the Appliqué material with the CutWork Tool

Iron the Vliesofix onto the appliqué material. Add an additional layer of tearaway stabilizer and insert the material together with the backing into the large embroidery hoop. In order to achieve the best stability, it is best to use a heavier cut-away stabilizer.

Open design «7345_Lama_160x171_CW»



Now insert the CutWork Tool where the needle goes. Very important: The knife must be in position 1. If it is not, turn the knife to this position.




As soon as position 1 has been cut, simply turn the knife and cut positions 2 to 4. Admittedly, the machine's actions look a little chaotic, but it will work, because the letter will simply release. Carefully tear away the stabilizer and also remove the protective paper of the Vliesofix fusible liner.

Part 2: Embroidering the appliqué

Now mark the location on which you would like to embroider the design. Reinforce the fabric with the stabilizer and insert both together in the hoop.




Open design «7345_Lama_160x171» on the embroidery machine and replace the CutWork Tool with the needle.




In the first step, the placement line is embroidered. It is best if you select a thread in the same color as the fabric. This helps positioning the design.


Now lay the appliqué material precisely on the embroidered line and iron it firmly.



Next the edges will be embroidered with a Zig-Zag stitch.




Then the edges are covered with a satin stitch.




Now a new placement line will be embroidered.

Place a new piece of fabric covering the placement lines.




The new piece of fabric will be embroidered with a Zig-Zag stitch.

Use scissors to cut the fabric along the outer edge of the zigzag.



The edges will then be covered with a satin stitch.



These steps are repeated for the second piece of fabric.

Now embroider the rest of the design as usual.

